

according to Regulation (EC) No 1907/2006

53400 - EVOLUTION XT 4T SAE 10W-40

Revision date: 18.06.2018

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

53400 - EVOLUTION XT 4T SAE 10W-40

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet				
Company name:	PROFI-TECH GmbH			
Street:	Otto-Lilienthal-Straße 2			
Place:	D-88046 Friedrichshafen			
Telephone:	07541 / 40286 - 0	Telefax: 07541 / 40 286 - 99		
e-mail:	info@profi-tech.com			
<u>1.4. Emergency telephone</u> number:	24-hour emergency contact number out side USA/Canada: + 49 70024112112 (PRT) 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PRT)			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation of base oils and additives.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
68649-42-3	Zinc dialkyl dithiophosphate			<2,5 %
	272-028-3			
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411			
	Calcium alkyl phenates sulfide, long chain			<2,5 %
	Aquatic Chronic 4; H413			

Full text of H and EUH statements: see section 16.

Further Information

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

SECTION 4: First aid measures



according to Regulation (EC) No 1907/2006

53400 - EVOLUTION XT 4T SAE 10W-40

Revision date: 18.06.2018

Page 2 of 7

4.1. Description of first aid measures

General information

Self-protection of the first aider Change contaminated, saturated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

Strong water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

53400 - EVOLUTION XT 4T SAE 10W-40

Revision date: 18.06.2018

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion No special fire protection measures are necessary.

Further information on handling

Fire class B

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. Keep away from heat.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid brown characteristic		
			Test method
pH-Value:		not determined	
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		not determined	



of 7



Safety Data Sheet

according to Regulation (EC) No 1907/2006

53400 - EVOLUTION XT 4T SAE 10W-40

Revision date: 18.06.2018		Page 4 of
Pour point:	-36 °C	ISO 3016
Flash point:	> 226 °C	ISO 2592
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Explosive properties Product is not explosive.	However, formation of explosive air/vapour mixtures are possible.	
Lower explosion limits:	0,6 vol. %	
Upper explosion limits:	6,5 vol. %	
Auto-ignition temperature Solid: Gas:	not applicable not applicable	
Decomposition temperature:	not determined	
Oxidizing properties Not oxidising.		
Vapour pressure:	not determined	
Density (at 20 °C):	0,863 g/cm³	DIN 51757
Water solubility:	practically insoluble	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / kinematic: (at 100 °C)		DIN 51562
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Oxidising agent, strong Etchant and acids

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

53400 - EVOLUTION XT 4T SAE 10W-40

Revision date: 18.06.2018

Page 5 of 7

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68649-42-3	Zinc dialkyl dithiophosphate				
	oral	LD50 >2000 mg/kg	Rat		

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

	5 5 1 5
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

53400 - EVOLUTION XT 4T SAE 10W-40

evision date: 18 06 2018

Page 6 of 7

Revision date: 18.06.2018		Page 6 of
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
 14.6. Special precautions for user No dangerous good in sense of this 14.7. Transport in bulk according to Anne No dangerous good in sense of this 	x II of Marpol and the IBC Code	
SECTION 15: Regulatory information		
	ulations/legislation specific for the substance or mixture	
National regulatory information		
Water contaminating class (D):	2 - clearly water contaminating	
,	2 - Gearly water containinating	
15.2. Chemical safety assessment	botanace in this mixture were not corried out	
Chemical safety assessments for su	bstances in this mixture were not carried out.	
SECTION 16: Other information		
Abbreviations and acronyms ADR: Accord européen sur le transp (European Agreement concerning th IMDG: International Maritime Code f IATA: International Air Transport Ass GHS: Globally Harmonized System of	ociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances	

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

LD50: Lethal dose, 50%



according to Regulation (EC) No 1907/2006

53400 - EVOLUTION XT 4T SAE 10W-40

Revision date: 18.06.2018

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Page 7 of 7