

according to Regulation (EC) No 1907/2006

# 21890 Xtra-SHIFT 9HP

Revision date: 21.07.2020

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking         1.1. Product identifier 21890 Xtra-SHIFT 9HP         1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Lubricating agent Uses advised against No information available.         1.3. Details of the substance or the safety data sheet Company name:       PROFI-TECH GmbH Street:         2.0. Details of the substance or D-88046 Friedrichshafen Telephone:       07541/40286 - 0         1.4. Emergency telephone mail:       inf@gprofi-tech.com         1.4. Emergency telephone mumber       24-hour emergency contact number out slide USA/Canada: +41 90024112112 (PI mumber)         SECTION 2: Hazards identification       24-hour emergency contact number in side USA/Canada: +41 90024112112 (PI mumber)         SECTION 2: Hazards identification       34-hour emergency contact number out slide USA/Canada: +41 90024112112 (PI mumber)         SECTION 2: Hazards identification       34-hour emergency contact number out slide USA/Canada: +41 90024112112 (PI mumber)         SECTION 2: Hazards identification       34-hour emergency contact number out slide USA/Canada: +41 90024112112 (PI mumber)         Securition 1: Againt of the substance or mixture       34-hour emergency contact number out slide USA/Canada: +41 90024112112 (PI mumber)         Securition 2: Hazards identification       34-hour emergency contact number out slide USA/Canada: +11 49 70024112112 (PI mumber)         Securition 3: Againt of the substance or mixture			
21890 Xtra-SHIFT 9HP         1.2. Relevant identified uses of the substance or mixture and uses advised against         Use of the substance/mixture         Lubricating agent         Uses advised against         No information available.         1.3. Details of the supplier of the safety data sheet         Company name:       PROFI-TECH GmbH         Street:       Otto-Lilenthal-Straße 2         Place:       D-80046 Friedrichshafen         Telephone:       07541 / 40286 - 0         Telephone:       07541 / 40286 - 0         Telephone:       07541 / 40286 - 0         1.4. Emergency telephone       24-hour emergency contact number out side USA/Canada: + 49 70024112112 (PI         SECTION 2: Hazards identification       24-hour emergency contact number in side USA/Canada: + 14 9 70024112112 (PI         SECTION 2: Hazards identification       24-hour emergency contact number in side USA/Canada: + 14 9 70024112112 (PI         Alazard categories:       Hazard categories:         Hazard categories:       Hazard categories:         Hazard statements:       Haurful to aquatic life with long lasting effects.         Procautionary statements       Hat12         Hat12       Harmful to aquatic life with long lasting effects.         P273       Avoid release to the environment.         Special labellin	<b>SECTION 1: Identification</b>	n of the substance/mixture and of the c	ompany/undertaking
Use of the substance/mixture         Lubricating agent         Uses advised against         No information available.         3. Details of the supplier of the safety data sheet         Company name:       PROFITECH GmbH         Street:       Otto-Lilienthal-Straße 2         Place:       Details of the supplier of the safety data sheet         Telephone:       07541 / 40286 - 0         relephone:       24-hour emergency contact number out side USA/Canada: + 49 70024112112 (P)         mumber:       24-hour emergency contact number in side USA/Canada: + 49 70024112112 (P)         SECTION 2: Hazards identification       24-hour emergency contact number in side USA/Canada: + 14 9 70024112112 (P)         Regulation (EC) No. 1272/2008       Hazard categories:         Hazard Categories:       Hazard Categories:         Hazard Statements:       Harmful to aquatic life with long lasting effects.         Hazard Statements:       Harmful to aquatic life with long lasting effects.         Precautionary statements:       P273         P273       Avoid release to t		ЭНР	
Lubricating agent Uses advised against No information available. 1.3. Details of the supplier of the safety data sheet Company name: PROFI-TECH GmbH Street: Otto-Lilienthal-Straße 2 Place: D-88046 Friedrichshafen Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: O7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: D7541 / 40286 - 0 Telefax:07541 / 40286 - 99 e-mail: Telephone: D7541 / 40286 - 0 Telefax:07541 / 40286 - 99 EVICON 2172/2008 Hazard categories: Hazard statements P273 Avoid release to the environment. Special labelling of certain mixtures EVI208 Contains 4,4 Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction. 23.Other hazards No information available. SECTION 3: Composition/information on ingredients	1.2. Relevant identified use	s of the substance or mixture and uses adv	rised against
No information available.         1.3. Details of the supplier of the safety data sheet         Company name:       PROFI-TECH GmbH         Street:       Otto-Lilienthal-Straße 2         Place:       D-88046 Friedrichshafen         Telephone:       07541 / 40286 - 0         e-mail:       info@profi-tech.com         1.4. Emergency telephone       24-hour emergency contact number out side USA/Canada: +49 70024112112 (PI         number:       24-hour emergency contact number in side USA/Canada: +49 70024112112 (PI         SECTION 2: Hazards identification       24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI         Section 2: Hazards identification       24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI         Regulation (EC) No. 1272/2008       Hazard actegories:         Hazard categories:       Hazard statements:         Hazard Statements:       Hazard Statements:         Hazard Statements:       Hazard statements:         H412       Harmful to aquatic life with long lasting effects.         Pz73       Avoid release to the environment.         Special labelling of certain mixtures       EUH208         EUH208       Contains 4,4' Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         23. Other hazards       No information available. <th></th> <th>xture</th> <th></th>		xture	
Company name:       PROFI-TECH GmbH         Street:       Otto-Lilienthal-Straße 2         Place:       D-88046 Friedrichshafen         Telephone:       07541 / 40286 - 0         relephone:       07541 / 40286 - 0         e-mail:       info@profi-tech.com         14. Emergency telephone:       24-hour emergency contact number out side USA/Canada: + 49 70024112112 (PI         number:       24-hour emergency contact number out side USA/Canada: + 49 70024112112 (PI         SECTION 2: Hazards identification       24-hour emergency contact number out side USA/Canada: + 11 49 70024112112 (PI         SECTION 2: Hazards identification       24-hour emergency contact number in side USA/Canada: + 11 49 70024112112 (PI         SECTION 2: Hazards identification       24-hour emergency contact number out side USA/Canada: + 11 49 70024112112 (PI         SECTION 2: Hazards identification       24-hour emergency contact number out side USA/Canada: + 11 49 70024112112 (PI         SECTION 2: Hazards identification       24-hour emergency contact number in side USA/Canada: + 11 49 70024112112 (PI         SECTION 2: Hazards identification       34         Auzard categories:       42ard categories:         Hazard statements:       42ard statements         H412       Harmful to aquatic life with long lasting effects.         P273       Avoid release to the environment.         Special	-	ble.	
Street:       Otto-Lilienthal-Straße 2         Place:       D-88046 Friedrichshafen         Telephone:       07541 / 40286 - 0         e-mail:       info@profi-tech.com         1.4. Emergency telephone       24-hour emergency contact number out side USA/Canada: + 49 70024112112 (Pl number:         24-hour emergency contact number in side USA/Canada: + 11 49 70024112112 (Pl number:         SECTION 2: Hazards identification         21. Classification of the substance or mixture         Regulation (EC) No. 1272/2008         Hazard categories:         Hazard Statements:         Harmful to aquatic life with long lasting effects.         22. Label elements         H412       Harmful to aquatic life with long lasting effects.         Precautionary statements         H412       Harmful to aquatic life with long lasting effects.         P273       Avoid release to the environment.         Special labelling of certain mixtures         EUH208       Contains 4,4'Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         23. Other hazards         No information available.         SECTION 3: Composition/information on ingredients	1.3. Details of the supplier of	of the safety data sheet	
e-mail: info@profi-tech.com           1.4. Emergency telephone number         24-hour emergency contact number out side USA/Canada: + 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (PI 24-hour emergency contact chronic 3 Hazard Statements         Hazard Statements         H412 Harmful to aquatic life with long lasting effects.           Precautionary statements         P273 Avoid release to the environment.           Special labelling of certain mixtures         EUH208 Contains 4,4 'Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.           23. Other hazards         No information available.	Street:	Otto-Lilienthal-Straße 2	
number:       24-hour emergency contact number in side USA/Canada: +11 49 70024112112 (F         SECTION 2: Hazards identification           2.1. Classification of the substance or mixture           Regulation (EC) No. 1272/2008           Hazard categories:       Hazards to the aquatic environment: Aquatic Chronic 3         Hazard Statements:       Harmful to aquatic life with long lasting effects.         2.2. Label elements       Harmful to aquatic life with long lasting effects.         Parand statements:       Harmful to aquatic life with long lasting effects.         Precautionary statements       P273         P273       Avoid release to the environment.         Special labelling of certain mixtures       EUH208         EUH208       Contains 4,4'Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         2.3. Other hazards       No information available.         SECTION 3: Composition/information on ingredients	-		Telefax:07541 / 40 286 - 99
2.1. Classification of the substance or mixture         Regulation (EC) No. 1272/2008         Hazard categories:         Hazard categories:         Hazard Statements:         Harmful to aquatic life with long lasting effects.         2.2. Label elements         Regulation (EC) No. 1272/2008         Hazard Statements:         Harmful to aquatic life with long lasting effects.         2.2. Label elements         Regulation (EC) No. 1272/2008         Hazard statements         H412       Harmful to aquatic life with long lasting effects.         Precautionary statements         P273       Avoid release to the environment.         Special labelling of certain mixtures         EUH208       Contains 4,4' Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         2.3. Other hazards         No information available.         SECTION 3: Composition/information on ingredients			
Regulation (EC) No. 1272/2008         Hazard categories:         Hazardous to the aquatic environment: Aquatic Chronic 3         Hazard Statements:         Harmful to aquatic life with long lasting effects.         22. Label elements         Regulation (EC) No. 1272/2008         Hazard statements:         Hazard statements:         Hazard statements:         H412         Harmful to aquatic life with long lasting effects.         Precautionary statements:         P273         Avoid release to the environment.         Special labelling of certains 4,4'Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         23. Other hazards:         No information available.         SECTION 3: Composition information on ingredients	SECTION 2: Hazards ide	ntification	
Regulation (EC) No. 1272/2008         Hazard categories:         Hazardous to the aquatic environment: Aquatic Chronic 3         Hazard Statements:         Harmful to aquatic life with long lasting effects.         22. Label elements         Regulation (EC) No. 1272/2008         Hazard statements:         Hazard statements         H412         Harmful to aquatic life with long lasting effects.         Precautionary statements:         P273         Avoid release to the environment.         Special labelling of certainstatements:         EUH208       Contains 4,4'Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         23. Other hazards:         No information available.         SECTION 3: Composition/information on ingredients	2.1. Classification of the su	bstance or mixture	
2.2. Label elements         Regulation (EC) No. 1272/2008         Hazard statements         H412       Harmful to aquatic life with long lasting effects.         Precautionary statements       P273         P273       Avoid release to the environment.         Special labelling of certain mixtures         EUH208       Contains 4,4'Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         2.3. Other hazards       No information available.         SECTION 3: Composition/information on ingredients	Hazardous to the aqu Hazard Statements:		
Hazard statements       Harmful to aquatic life with long lasting effects.         Precautionary statements       P273         P273       Avoid release to the environment.         Special labelling of certain mixtures       EUH208         EUH208       Contains 4,4'Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         2.3. Other hazards       No information available.         SECTION 3: Composition/information on ingredients	-	5 5	
Hazard statements       Harmful to aquatic life with long lasting effects.         Precautionary statements       P273         P273       Avoid release to the environment.         Special labelling of certain mixtures       EUH208         EUH208       Contains 4,4'Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         2.3. Other hazards       No information available.         SECTION 3: Composition/information on ingredients	Regulation (EC) No. 1272/	2008	
Precautionary statements       P273       Avoid release to the environment.         Special labelling of certain mixtures       EUH208       Contains 4,4`Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         2.3. Other hazards       No information available.         SECTION 3: Composition/information on ingredients			
P273       Avoid release to the environment.         Special labelling of certain mixtures EUH208       Contains 4,4 Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         2.3. Other hazards No information available.       SECTION 3: Composition/information on ingredients	H412	Harmful to aquatic life with long lasting effect	cts.
Special labelling of certain mixtures       Contains 4,4 Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         2.3. Other hazards       No information available.         SECTION 3: Composition/information on ingredients	Precautionary statement	ts	
EUH208       Contains 4,4`Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.         2.3. Other hazards       No information available.         SECTION 3: Composition/information on ingredients	P273	Avoid release to the environment.	
2.3. Other hazards No information available. SECTION 3: Composition/information on ingredients		Contains 4,4`Thiodiethylenhydrogen-2-octa	decenylsuccinat. May produce an allergic
	<b>SECTION 3: Composition</b>	n/information on ingredients	
	· · · · ·		
3.2. Mixtures	<u>3.2. Mixtures</u>		



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# 21890 Xtra-SHIFT 9HP

Revision date: 21.07.2020

Page 2 of 8

### Hazardous components

Chemical name				
EC No	Index No	REACH No		
GHS Classification	•			
Bls(nonylphenyl)amine			0 - < 1,19 %	
253-249-4		01-2119488911-28		
Aquatic Chronic 4; H413	-			
reaction mass of isomers of: C7-9-a	alkyl 3-(3,5-di-tert-butyl-4-	hydroxyphenyl)propionate	0 - < 1,19 %	
406-040-9	607-530-00-7			
Aquatic Chronic 4; H413	-			
Gemisch aus: Triphenylthio-phosph	nat und tertiären		0 - <= 0,5 %	
421-820-9				
Repr. 2, Aquatic Chronic 4; H361d	H413			
Reaktionsprodukte von Alkylthioalk	ohol und substitierte		0 - < 0,29 %	
Acute Tox. 4, Skin Corr. 1B, Aquation	c Acute 1, Aquatic Chroni	c 1; H312 H314 H400 H410		
4,4`Thiodiethylenhydrogen-2-octad	ecenylsuccinat		0 - < 0,11 %	
Eve Irrit. 2. Skin Sens. 1. Aquatic C	 hronic 2: H319 H317 H4 <sup>-</sup>	1		
	EC No         GHS Classification         BIs(nonylphenyl)amine         253-249-4         Aquatic Chronic 4; H413         reaction mass of isomers of: C7-9-a         406-040-9         Aquatic Chronic 4; H413         Gemisch aus: Triphenylthio-phosph         421-820-9         Repr. 2, Aquatic Chronic 4; H361d         Reaktionsprodukte von Alkylthioalk         Acute Tox. 4, Skin Corr. 1B, Aquatia         4,4`Thiodiethylenhydrogen-2-octad	EC No       Index No         GHS Classification       Bls(nonylphenyl)amine         253-249-4       Aquatic Chronic 4; H413         reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-406-040-9       607-530-00-7         406-040-9       607-530-00-7         Aquatic Chronic 4; H413       Gemisch aus: Triphenylthio-phosphat und tertiären         421-820-9       Repr. 2, Aquatic Chronic 4; H361d H413         Reaktionsprodukte von Alkylthioalkohol und substitierte       Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronii         4,4`Thiodiethylenhydrogen-2-octadecenylsuccinat       Image: Chronii Aight Acute 1 (Chronii)	EC No       Index No       REACH No         GHS Classification       Bls(nonylphenyl)amine       01-2119488911-28         253-249-4       01-2119488911-28         Aquatic Chronic 4; H413       01-2119488911-28         reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate       406-040-9         406-040-9       607-530-00-7         Aquatic Chronic 4; H413       6emisch aus: Triphenylthio-phosphat und tertiären         421-820-9       Repr. 2, Aquatic Chronic 4; H361d H413         Reaktionsprodukte von Alkylthioalkohol und substitierte       Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H312 H314 H400 H410	

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air.

### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers.



according to Regulation (EC) No 1907/2006

# 21890 Xtra-SHIFT 9HP

Revision date: 21.07.2020

Page 3 of 8

# Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Carbon monoxide Carbon dioxide Nitrogen oxides (NOx)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

Lubricating agent

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
36878-20-3	Bls(nonylphenyl)amine			
Worker DNEL,	acute	dermal	systemic	5 mg/kg bw/day



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# 21890 Xtra-SHIFT 9HP

Revision date: 21.07.2020

Page 4 of 8

### **PNEC** values

CAS No	Substance	
Environmental	Environmental compartment	
36878-20-3	Bls(nonylphenyl)amine	
Freshwater		0,1 mg/l
Freshwater (intermittent releases)		1 mg/l
Marine water		0,01 mg/l
Marine water (intermittent releases)		13200 mg/kg
Freshwater sediment		132000 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	1 mg/l
Soil		263000 mg/kg

# Additional advice on limit values

To date, no national critical limit values exist.

# 8.2. Exposure controls



### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### Eye/face protection

Wear eye protection/face protection.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid yellow	
Odour: pH-Value:	not determined	not determined
<b>Changes in the physical state</b> Melting point: Initial boiling point and boiling range: Pour point: Flash point:		not determined not determined = -54 °C 206 °C
Flammability Solid:		not applicable



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 21890 Xtra-SHIFT 9HP

Revision date: 21.07.2020		Page 5 of 8
Gas:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature Solid: Gas:	not applicable not applicable	
Decomposition temperature:	not determined	
Oxidizing properties Not oxidising.		
Vapour pressure:	not determined	
Density (at 15 °C):	0,844 g/cm <sup>3</sup>	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / kinematic: (at 40 °C)	25,16 mm²/s	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

No information available.

# 10.5. Incompatible materials

Materials to avoid Acids Oxidizing agent Reducing agent

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# 21890 Xtra-SHIFT 9HP

Revision date: 21.07.2020

Page 6 of 8

### Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
36878-20-3	Bls(nonylphenyl)amine					
	oral	LD50 >50 mg/kg	00	Rat	ECHA Dossier	
	Reaktionsprodukte von Alkylthioalkohol und substitierte					
	dermal	ATE 1100 mg/kg	0			

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
36878-20-3	BIs(nonylphenyl)amine						
	Acute fish toxicity	LC50 mg/l	>100		Brachydanio rerio (zebra-fish)	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	>100		Daphnia magna (Big water flea)	ECHA Dossier	OECD 202

# 12.2. Persistence and degradability

# The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
36878-20-3	BIs(nonylphenyl)amine			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	1%	28	
	Not readily biodegradable (according to OECD criteria)			

### 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

# **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the



Page 7 of 8

according to Regulation (EC) No 1907/2006

# 21890 Xtra-SHIFT 9HP

Revision date: 21.07.2020

substance itself.

### **SECTION 14: Transport information**

### 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	3 - strongly hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

# Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method
Relevant H and EUH	statements (number and full text)
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains 4,4`Thiodiethylenhydrogen-2-octadecenylsuccinat. May produce an allergic reaction.

Page 8 of 8



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

21890 Xtra-SHIFT 9HP

Revision date: 21.07.2020

# Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)