



Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

· Article number: 66044

· UFI: W6WV-F51J-4009-579U

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Cleaning material/ Detergent

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:

PROFI-TECH GmbH Otto-Lilienthal-Straße 2 88046 Friedrichshafen

+49 7541 402860

Deutschland

- · Further information obtainable from: Abteilung Produktsicherheit
- · Emergency telephone number: +49 7541 402860

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



Acute Tox. 4 H332

Harmful if inhaled.

Eye Irrit. 2 H319

Causes serious eye irritation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Sodium N-lauroylsarcosinate

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H332 Harmful if inhaled.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

(Contd. of page 1) P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

· Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

ISOPROPYL ALCOHOL

3 Composition/information on ingredients

- · Mixtures
- Description: Mixture of substances listed below with nonhazardous additions

Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25- XXXX	propan-2-ol ♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	≥10–<20%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27- XXXX	isobutane The Flam. Gas 1A, H220; Press. Gas (Comp.), H280	≥0–≤10%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21- XXXX	propane	≤2.5%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36- XXXX	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≤2.5%
CAS: 1336-21-6 EINECS: 215-647-6 Index number: 007-001-01-2	ammonia ♦ Skin Corr. 1B, H314; ♦ Aquatic Acute 1, H400 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥0.25–<1%
CAS: 137-16-6 EINECS: 205-281-5	Sodium N-lauroylsarcosinate ♦ Acute Tox. 2, H330; ♦ Eye Dam. 1, H318; ↑ Skin Irrit. 2, H315	<1%
Regulation (EC) No 648/2004	on detergents / Labelling for contents	
aliphatic hydrocarbons		≥5 - <15%
anionic surfactants		<5%

Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

(Contd. of page 3)

· Storage class: 2 B

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Cor	ntrol	nara	meters
\mathbf{v}	IU VI	Nuiu	11161613

Control parameters		
· Ingredie	nts with limit values that req	uire monitoring at the workplace:
ر 67-63-0	propan-2-ol	
	ort-term value: 1250 mg/m³, 50	
Loi	ng-term value: 999 mg/m³, 400	ppm
111-76-2	2-butoxyethanol	
	ort-term value: 246 mg/m³, 50 _l	
	ng-term value: 123 mg/m³, 25 μ	ррт
Sk	BMGV	
· DNELs		
ן 67-63-0	propan-2-ol	
Oral	Long Term Systemic Effects	26 mg/kg bw/day (Consuments)
Dermal	Long Term Systemic Effects	319 mg/kg bw/day (Consuments)
		888 mg/kg bw/day (Workers)
Inhalative	Long Term Systemic Effects	89 mg/m³ (Consuments)
		500 mg/m³ (Workers)
111-76-2	2-butoxyethanol	
Oral	Acute Systemic Effects	13.4 mg/kg bw/day (Consuments)
	Long Term Systemic Effects	3.2 mg/kg bw/day (Consuments)

	Long Term Systemic Effects	3.2 mg/kg bw/day (Consuments)
Dermal	Acute Systemic Effects	44.5 mg/kg bw/day (Consuments)
		89 mg/kg bw/day (Workers)
	Long Term Systemic Effects	38 mg/kg bw/day (Consuments)
		75 mg/kg bw/day (Workers)
Inhalative	Akute Local Effects	123 mg/m³ (Consuments)
		246 mg/m³ (Workers)
	Acute Systemic Effects	426 mg/m³ (Consuments)
		663 mg/m³ (Workers)
	Long Term Systemic Effects	49 mg/m³ (Consuments)

98 mg/m³ (Workers)

· PNECs

67-63-0 propan-2-ol

140.9 mg/l (Fresh Water)
140.9 mg/l (Marine Water)
552 mg/kg (Fresh Water Sediments)
552 mg/kg (Marine Water Sediments)
nt 2,251 mg/l (Microorganismus in Sewage Treatment)
28 mg/kg (Soil (Agricultural))
>3.1 mg/l (Guinea Pig)
>3.4 mg/l (Guinea Pig)
700 mg/l (Bacteria)

(Contd. on page 5)

Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

Marine Water

Fresh Water Sediments

Marine Water Sediments

Marine Water Sediments

Microorganismus in Sewage Treatment

Soil (Agricultural)

Sporadic Release

O.88 mg/l (Marine Water)

34.6 mg/kg (Fresh Water Sediments)

3.46 mg/kg (Marine Water Sediments)

463 mg/l (Microorganismus in Sewage Treatment)

2.8 mg/kg (Soil (Agricultural))

9.1 mg/l (Sporadic Release)

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR
- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Neoprene gloves


(Contd. on page 6)

Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

(Contd. of page 5)

· Eye/face protection



9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Aerosol

Colourless
Characteristic
Not determined.

Undetermined.

· Boiling point or initial boiling point and

boiling range Not applicable, as aerosol.

· Flammability Not applicable.

· Lower and upper explosion limit

 Lower:
 1.5 Vol %

 Upper:
 10.9 Vol %

 Flash point:
 <0 °C</td>

· Auto-ignition temperature: Product is not selfigniting.

• **Decomposition temperature:** Not determined. • **pH** Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.
· Vapour pressure at 25 °C: 1–<5 hPa

Density and/or relative density

Density at 20 °C: 0.953 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

· Other information

· Appearance:

· Form: Aerosol

· Important information on protection of health

and environment, and on safety.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· Organic solvents: 13.5–<23.5 %

· Solids content: 0.0 %

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard

classes
• Explosives Void
• Flammable gases Void

· Aerosols Extremely flammable aerosol. Pressurised

container: May burst if heated.

(Contd. on page 7)

Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

		(Contd. of page 6
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.

LD/LC50	values rel	evant for classification:
ATE (Acu	te Toxicit	y Estimates)
Inhalative	LC50/4 h	10.2 mg/kg
67-63-0 p	ropan-2-o	I
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	13,900 mg/kg (rabbit)
Inhalative	LC50/6h	>25 mg/l (rat)
111-76-2	2-butoxye	thanol
Oral	LD50	1,414 mg/kg (Guinea Pig)
		1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)

- · Serious eye damage/irritation Causes serious eye irritation.
- · Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

GB

Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

(Contd. of page 7)

12 Ecological information

· Toxicity

· Aquatic toxicity:

111-76-2 2-butoxyethanol

LC50 96h | 1,474 mg/l (Fish) LC50 48h | 1,550 mg/l (daphnia)

EC50 72/h 1,840 mg/l (Pseudokirchneriella subcapitata)

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· UN number or ID number · ADR, IMDG, IATA	UN1950
· UN proper shipping name · ADR · IMDG · IATA	1950 AEROSOLS AEROSOLS Aerosols, flammable

- · Transport hazard class(es)
- · ADR



· Class 2 5F Gases.

(Contd. on page 9)

Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

	(Contd. of page 8
· Label	2.1
· IMDG, IATA	
· Class · Label	2.1 2.1
· Packing group · ADR, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code EMS Number: Segregation groups Stowage Code Segregation Code	F-D,S-U Alkalis SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacit of 1 litre: Category A. For AEROSOLS with capacity above 1 litre: Category B. For WAST AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacit of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· Maritime transport in bulk according to IMC instruments	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code	1L Code: E0 Not permitted as Excepted Quantity 2 D
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 10)

Printing date 18.03.2021 Version number 1.0 Revision: 18.03.2021

Trade name: PROFI-CAR INSEKT-RELEASER-SPRAY, INSEKTENENTFERNER-SPRAY

(Contd. of page 9)

- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

* Data compared to the previous version altered.